DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2
NORMAL INTERMEDIARY RAIL AND CROSSBAR IN ALUMINIUM - BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections
B - The spaces between the vertical bars depend on the design choice and the width of the section
C - Total height of the railing
D - 145, 195, 250 or 350 mm

Please note that the drawings are not to scale
© Räckesbutiken Sweden AB
2022-10-10 v.1.0

DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2
NORMAL INTERMEDIARY RAIL AND CROSSBAR MADE OF WOOD- BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections
B - The spaces between the vertical bars depend on the design choice and the width of the section
C - Total height of the railing
D - 145, 195, 250 or 350 mm

Please note that the drawings are not to scale
© Räckesbutiken Sweden AB
2022-10-10 v.1.0

DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2
NORMAL INTERMEDIARY - RACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections
B - The spaces between the vertical bars depend on the design choice and the width of the section
C - Total height of the railing
D - 145, 195, 250 or 350 mm

Please note that the drawings are not to scale
© Räckesbutiken Sweden AB
2022-10-10 v.1.0