


DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT



A - Wind protection total height
B - Glass height
C - Clamp height from the floor surface


* Optional fall protection

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu
2022-10-10 v.1.0

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT
RAILING EXTENSION WITH STAINLESS STEEL CROSSBAR



- A - Wind protection total height
B - Glass height
C - Total height of clamp from the floor surface
D - Extra clamp height from the floor surface. **Please note!** Only when extending an 800 or 900 mm high railing.
E - Total railing extension height

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu


2022-10-10 v.1.0



BALUSTRADESTORE.EU

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT
RAILING EXTENSION WITH WOODEN CROSSBAR



- A - Wind protection total height
- B - Glass height
- C - Total height of clamp from the floor surface
- D - Extra clamp height from the floor surface. **Please note!** Only when extending an 800 or 900 mm high railing.
- E - Total railing extension height

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu


2022-10-10 v.1.0



BALUSTRADESTORE.EU

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT
RAILING EXTENSION WITHOUT CROSSBAR



- A - Wind protection total height
- B - Glass height
- C - Total height of clamp from the floor surface
- D - Extra clamp height from the floor surface. **Please note!** Only when extending an 800 or 900 mm high railing.
- E - Extension railing total height


* Optional fall protection

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu
2022-10-10 v.1.0

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT



- A - Wind protection total height
- B - Glass height
- C - Clamp height from the floor surface


* Optional clamp mount with fall protection for glass

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu
2022-10-10 v.1.0

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT
RAILING EXTENSION WITH STAINLESS STEEL CROSSBAR



- A - Wind protection total height
B - Glass height
C - Total height of clamp from the floor surface
D - Extra clamp height from the floor surface. **Please note!** Only when extending an 800 or 900 mm high railing.
E - Total railing extension height

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu


2022-10-10 v.1.0



BALUSTRADESTORE.EU

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT
RAILING EXTENSION WITH WOODEN CROSSBAR



- A - Wind protection total height
- B - Glass height
- C - Total height of clamp from the floor surface
- D - Extra clamp height from the floor surface. **Please note!** Only when extending an 800 or 900 mm high railing.
- E - Total railing extension height

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu


2022-10-10 v.1.0



BALUSTRADESTORE.EU

DETAILED MEASUREMENTS

WIND PROTECTION: STAINLESS STEEL WITH FOOT
RAILING EXTENSION WITHOUT CROSSBAR



- A - Wind protection total height
- B - Glass height
- C - Total height of clamp from the floor surface
- D - Extra clamp height from the floor surface. **Please note!** Only when extending an 800 or 900 mm high railing.
- E - Extension railing total height

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - www.balustradestore.eu

2022-10-10 v.1.0



BALUSTRADESTORE.EU