
ALUMINIUM RAILING MOUNTED ON THE OUTSIDE




- A The c/c dimensions of the posts depend on the length of the sides and the number of sections
- B The width of the glass depends on the length of the sides and the number of sections
- C The height of the railing from the floor surface
- D Glass height
- E 250 or 350 mm



ALUMINIUM RAILING MOUNTED ON THE OUTSIDE AND CROSSBAR MADE OF


ALUMINIUM



- A The c/c dimensions of the posts depend on the length of the sides and the number of
- B The width of the glass depends on the length of the sides and the number of sections
- C Total height of the railing
- D Glass height
- E 250 or 350 mm



ALUMINIUM RAILING MOUNTED ON THE OUTSIDE AND A WOODEN CROSSBAR




- A The c/c dimensions of the posts depend on the length of the sides and the number of
- B The width of the glass depends on the length of the sides and the number of sections
- C Total height of the railing
- D Glass height
- E 250 or 350 mm



ALUMINIUM RAILING MOUNTED ON THE OUTSIDE AND CROSSBAR MADE OF

STAINLESS STEEL



- A The c/c dimensions of the posts depend on the length of the sides and the number of sections
- B The width of the glass depends on the length of the sides and the number of sections
- C Total height of the railing
- D Glass height
- E 250 or 350 mm

