


# DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2  
STANDARD INTERMEDIARY RAIL AND CROSSBAR MADE OF ALUMINIUM



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The spaces between the vertical bars depend on the design choice and the width of the section

C - Total height of the railing

D - 145, 195, 250 or 350 mm

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - [www.balustradestore.eu](http://www.balustradestore.eu)


2022-10-10 v.1.0



BALUSTRADESTORE.EU

# DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2  
STANDARD INTERMEDIARY RAIL AND CROSSBAR MADE OF WOOD



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The spaces between the vertical bars depend on the design choice and the width of the section

C - Total height of the railing

D - 145, 195, 250 or 350 mm

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - [www.balustradestore.eu](http://www.balustradestore.eu)


2022-10-10 v.1.0



BALUSTRADESTORE.EU

# DETAILED MEASUREMENTS

## ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2 STANDARD INTERMEDIARY



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The spaces between the vertical bars depend on the design choice and the width of the section

C - Total height of the railing

D - 145, 195, 250 or 350 mm

Please note that the drawings are not to scale

© Räckesbutiken Sweden AB - [www.balustradestore.eu](http://www.balustradestore.eu)

2022-10-10 v.1.0



BALUSTRADESTORE.EU